





































Article Image	Article Description	Article No	Rev Article No	Power (W)	CCT (K)	Beam Angle	Product Dimension(mm)	Cut Out Dimensions(mm)	MRP (INR)	
LUCINA'D RECESSED LED PANEL LIGHT										
	LUCINA'D Anti-glare Round LED Panel light	833.01.1033	833.12.450	3	3000	120	90 x12.5	ø80	440	
		833.01.1034	833.12.451							4000
		833.01.1036	833.12.452							6000
		833.01.1063	833.12.456	6	3000		120 x12.5	ø110	600	
		833.01.1064	833.12.457							4000
		833.01.1066	833.12.458							6000
		833.01.1093	833.12.462	9	3000		150 x 12.5	ø140	830	
		833.01.1094	833.12.463							4000
		833.01.1096	833.12.464							6000
		833.01.1123	833.12.468	12	3000		172 x 12.5	ø160mm	980	
		833.01.1124	833.12.469							4000
		833.01.1126	833.12.470							6000
		833.01.1153	833.12.474	15	3000		192 x 12.5	ø180 mm	1230	
		833.01.1154	833.12.475							4000
		833.01.1156	833.12.476							6000
		833.01.1183	833.12.480	18	3000		225 x12.5	ø 215 mm	1490	
		833.01.1184	833.12.481							4000
		833.01.1186	833.12.482							6000
	LUCINA'D Anti-glare Square LED Panel light	833.02.1033	833.12.453	3	3000	120	90 x90 x12.5	80 x 80	440	
		833.02.1034	833.12.454							4000
		833.02.1036	833.12.455							6000
		833.02.1063	833.12.459	6	3000		120x120 x12.5	110 x 110	600	
		833.02.1064	833.12.460							4000
		833.02.1066	833.12.461							6000
		833.02.1093	833.12.465	9	3000		150 x 150 x 12.5	140 x 140	830	
		833.02.1094	833.12.466							4000
		833.02.1096	833.12.467							6000
		833.02.1123	833.12.471	12	3000		172 x172 x 12.5	160 x 160	980	
		833.02.1124	833.12.472							4000
		833.02.1126	833.12.473							6000
		833.02.1153	833.12.477	15	3000		192 x 192 x 12.5	180 x 180	1230	
		833.02.1154	833.12.478							4000
		833.02.1156	833.12.479							6000
		833.02.1183	833.12.483	18	3000		225 x 225 x 12.5	215 x 215	1490	
		833.02.1184	833.12.484							4000
		833.02.1186	833.12.485							6000
LUCINA SURFACE LED PANEL LIGHT										
	LUCINA LED SURFACE MOUNTED FLAT PANEL LIGHT , ROUND	833.07.090	833.14.588	6	3000	120	Φ120x40	NA	990	
		833.07.091	833.14.589							4000
		833.07.092	833.14.589							6000
		833.07.093	833.14.594	12	3000		Φ172x40	1590		
		833.07.094	833.14.595						4000	
		833.07.095	833.14.596						6000	
		833.07.096	833.14.600	18	3000		Φ225x40	1990		
		833.07.097	833.14.601						4000	
		833.07.098	833.14.602						6000	
	LUCINA LED SURFACE MOUNTED FLAT PANEL LIGHT , SQUARE	833.07.110	833.14.591	6	3000	120	120x120x40	NA	990	
		833.07.111	833.14.592							4000
		833.07.112	833.14.593							6000
		833.07.113	833.14.597	12	3000		172x172x40	1590		
		833.07.114	833.14.598						4000	
		833.07.115	833.14.599						6000	
		833.07.116	833.14.603	18	3000		225x225x40	1990		
		833.07.117	833.14.604						4000	
		833.07.118	833.14.605						6000	
POLLUX-RECESSED SLIM EDGE LED PANEL LIGHT										
	POLLUX Slim LED Panel Light- Round	833.01.2063	833.12.486	6	3000	120	ø92×10mm	ø80mm	650	
		833.01.2064	833.12.487							4000
		833.01.2066	833.12.488							6000
		833.01.2123	833.12.492	12	3000		ø140×10mm	ø120mm	1030	
		833.01.2124	833.12.493							4000
		833.01.2126	833.12.494							6000
		833.01.2183	833.12.498	18	3000		ø192×10mm	ø175mm	1540	
		833.01.2184	833.12.499							4000
		833.01.2186	833.12.500							6000
	POLLUX Slim LED Panel Light- Square	833.02.2063	833.12.489	6	3000	120	92x92×10mm	80x80mm	650	
		833.02.2064	833.12.490							4000
		833.02.2066	833.12.491							6000
		833.02.2123	833.12.495	12	3000		140x140×10mm	120x120mm	1030	
		833.02.2124	833.12.496							4000
		833.02.2126	833.12.497							6000
		833.02.2183	833.12.501	18	3000		192×192×10mm	175x175mm	1540	
		833.02.2184	833.12.502							4000
		833.02.2186	833.12.503							6000
POLLUX-SURFACE SLIM EDGE LED PANEL LIGHT										
	POLLUX Slim LED Surface Panel Light- Round	833.11.2063	833.14.570	6	3000	120	ø92×92×23mm	NA	1090	
		833.11.2064	833.14.571							4000
		833.11.2066	833.14.572							6000
		833.11.2123	833.14.576	12	3000		ø140x140x23mm	1690		
		833.11.2124	833.14.577						4000	
		833.11.2126	833.14.578						6000	
		833.11.2183	833.14.582	18	3000		ø192×192×23mm	2090		
		833.11.2184	833.14.583						4000	
		833.11.2186	833.14.584						6000	
	POLLUX Slim LED Surface Panel Light- Square	833.22.2063	833.14.573	6	3000	120	92×92×23mm	NA	1090	
		833.22.2064	833.14.574							4000
		833.22.2066	833.14.575							6000
		833.22.2123	833.14.579	12	3000		140x140x23mm	1690		
		833.22.2124	833.14.580						4000	
		833.22.2126	833.14.581						6000	
		833.22.2183	833.14.585	18	3000		192×192×23mm	2090		
		833.22.2184	833.14.586						4000	
		833.22.2186	833.14.587						6000	
ALTAir ULTRA LIGHT RECESSED LED PANEL LIGHT										
	AltAir Ultra light LED Panel light- Round	833.01.3063	833.12.504	6	3000	120	ø125×35mm	ø110mm	480	
		833.01.3064	833.12.505							4000
		833.01.3066	833.12.506							6000
		833.01.3123	833.12.510	12	3000		ø150×35mm	ø130mm	650	
		833.01.3124	833.12.511							4000
		833.01.3126	833.12.512							6000
		833.01.3183	833.12.516	18	3000		ø175×35mm	ø155mm	850	
		833.01.3184	833.12.517							4000
		833.01.3186	833.12.518							6000
		833.01.3243	833.12.522	24	3000		Φ195x35	ø175 mm	1210	
		833.01.3244	833.12.523							4000
		833.01.3246	833.12.524							6000
	AltAir Ultra light LED Panel light- Square	833.02.3063	833.12.507	6	3000	120	125x125×35mm	110x110mm	480	
		833.02.3064	833.12.508							4000
		833.02.3066	833.12.509							6000
		833.02.3123	833.12.513	12	3000		150x150×35mm	130x130mm	650	
		833.02.3124	833.12.514							4000
		833.02.3126	833.12.515							6000
		833.02.3183	833.12.519	18	3000		175x175×35mm	155x155mm	850	
		833.02.3184	833.12.520							4000
		833.02.3186	833.12.521							6000
		833.02.3243	833.12.525	24	3000		195x195x35 mm	175x175mm	1210	
		833.02.3244	833.12.526							4000
		833.02.3246	833.12.527							6000

Article Image	Article Description	Article No	Rev Article No	Power (W)	CCT (K)	Beam Angle	Product Dimension(mm)	Cut Out Dimensions(mm)	MRP (INR)	
SLIM 2X2 LED PANEL LIGHT										
	QUADRA 2X2 PANEL LIGHT 40W	833.14.445		40	3000	120	596*596*11	586x586x8	6490	
		833.14.446			4000					
		833.14.447			6000					
BOX 2X2 LED PANEL LIGHT										
	CUBE 2X2 BOX PANEL LIGHT 36W	833.50.0003		36	3000	120	595X595X65	586x586x60	5990	
		833.50.0004			4000					
		833.50.0006			6000					
	CUBEIR 2X2 LED PANEL LIGHT	833.14.470		36	3000	120	595X595X65	586x586x60	4200	
		833.14.471			4000					
		833.14.472			6000					
MR 16 MODULE LED LIGHT										
	MR16 LED LIGHT	833.05.1623		5	3000	24	Ø49.4x60	Ø45.9	1349	
		833.05.1626			6000					
					3000					34
					6000					
		833.05.1663			3000					60
		833.05.1666			6000					
		833.08.1623		8	3000	24			1499	
		833.08.1626			6000					
					3000	34				
					6000					
		833.08.1663			3000	60				
		833.08.1666			6000					
		833.10.1623		10	3000	24			1999	
					6000					
					3000	34				
					6000					
		833.10.1664			3000	60				
		833.10.1666			4000					
		8	3000	15	2285					
833.08.2113				24						
833.08.2123				36						
				60						
	MR16 DIMMABLE LED LIGHT	833.08.2133								
MR 16 FIXTURES										
	ROUND HOUSING WHITE MAT FINISH	821.50.700					Ø77x22		205	
	ROUND DEEP HOUSING WHITE MAT FINISH	821.50.702					Ø127x64		275	
	ROUND TILTTABLE HOUSING WHITE MAT FINISH	821.50.701					Ø85x21		300	
	SQUARE TILTTABLE HOUSING WHITE MAT FINISH	821.50.710					100x100x28		340	
	TRIMLESS 1X1 AJ MR16 HOUSING BL	833.01.001					120X120		1050	
	TRIMLESS 1X1 AJ MR16 HOUSING WH								1050	
	TRIMLESS 1X2 AJ MR16 HOUSING BL	833.02.001					220X120		2100	
	TRIMLESS 1X2 AJ MR16 HOUSING WH								2100	
	TRIMLESS 1X3 AJ MR16 HOUSING BL	833.03.001					212X412		3150	
	TRIMLESS 1X3 AJ MR16 HOUSING WH								3150	
SIENA DOWNLIGHT- COB										
	SIENA COB DOWNLIGHT	833.12.231		5	4000	60	Ø90x44	Ø70	1510	
		833.12.232			6000					
		833.12.235			3000					
		833.12.240		10	3000		Ø108x62	Ø90	1770	
		833.12.241			4000					
		833.12.242			6000					
		833.12.250		15	3000		Ø138x74	Ø115	2650	
		833.12.251			4000					
		833.12.252			6000					
		833.12.260		20	3000		Ø160x104	Ø140	2990	
		833.12.261			4000					
		833.12.262			6000					
ININA LED DOWNLIGHT-SMD										
	ININA SMD LED DOWNLIGHT	833.12.360		10	3000	120	Ø 108 X 55	Ø90	1430	
		833.12.361			4000					
		833.12.362			5700					
		833.12.350		15	3000		Ø 165x60	Ø145	2230	
		833.12.351			4000					
		833.12.352			5700					
		833.12.370		20	3000		Ø 190 X 60	Ø170	2500	
		833.12.371			4000					
833.12.372		5700								
CRUX LED DOWNLIGHT- COB										
	CRUX COB LED DOWNLIGHT	833.12.430		5	3000	30	Ø 85X 60	Ø70	1890	
		833.12.431			4000					
		833.12.432			6000					
		833.12.435		10	3000		Ø 85X 81	Ø70	2190	
		833.12.436			4000					
		833.12.437			6000					
		833.12.440		15	3000		Ø 93X 88	Ø80	3290	
		833.12.441			4000					
		833.12.442			6000					
		833.12.445		20	3000		Ø 124X 90	Ø110	3890	
		833.12.446			4000					
		833.12.447			6000					

Article Image	Article Description	Article No	Rev Article No	Power (W)	CCT (K)	Beam Angle	Product Dimension(mm)	Cut Out Dimensions(mm)	MRP (INR)			
VEGA Slim Downlight												
	VEGA Slimmest LED Downlight- Round	833.01.5033	833.12.532	3	3000	30	ø72x16mm	ø60mm	500			
		833.01.5034	833.12.533		4000							
		833.01.5036	833.12.534		6000							
		833.01.5063	833.12.538	6	3000		ø82x20mm	ø70mm	750			
		833.01.5064	833.12.539		4000							
		833.01.5066	833.12.540		6000							
		833.01.5093	833.12.544	9	3000		ø87x20mm	ø75mm	960			
		833.01.5094	833.12.545		4000							
		833.01.5096	833.12.546		6000							
		833.01.5153	833.12.550	15	3000		ø106x30mm	ø95mm	1470			
		833.01.5154	833.12.551		4000							
		833.01.5156	833.12.552		6000							
		833.01.5183	833.12.556	18	3000		ø116x33mm	ø105mm	1920			
		833.01.5184	833.12.557		4000							
		833.01.5186	833.12.558		6000							
	VEGA Slimmest LED Downlight- Square	833.02.5033	833.12.535	3	3000	30	72x72	60x60mm	500			
		833.02.5034	833.12.536		4000							
		833.02.5036	833.12.537		6000							
		833.02.5063	833.12.541	6	3000		82x82mm	70x70 mm	750			
		833.02.5064	833.12.542		4000							
		833.02.5066	833.12.543		6000							
		833.02.5093	833.12.547	9	3000		87x87mm	75x75mm	960			
		833.02.5094	833.12.548		4000							
		833.02.5096	833.12.549		6000							
		833.02.5153	833.12.553	15	3000		106x106mm	95x95mm	1470			
		833.02.5154	833.12.554		4000							
		833.02.5156	833.12.555		6000							
		833.02.5183	833.12.559	18	3000		116x116mm	105x105mm	1920			
		833.02.5184	833.12.560		4000							
		833.02.5186	833.12.561		6000							
XING 1W LED SPOT LIGHT												
	Xing 1W Spot Light Square	833.02.103	833.12.593	1	3000	38	30X30X20mm	ø26mm	290			
	Xing 1W Spot Light Round	833.01.103	833.12.590		3000		ø30X20mm					
TRIAC DIMMABLE LED DOWNLIGHT												
	26W DOWNLIGHT-24 DEGREE-3000K-TRIAC DIMMABLE/NON DIMMABLE	833.26.030		26	3000	15/30/45	158X136	143	6075/5000			
ZOOM LED DOWNLIGHT												
	ZOOM LED DOWNLIGHT	833.12.000		20	3000	38	ø138*115	ø128	4790			
		833.12.002			4000							
		833.12.004			6000							
		833.12.001			3000							
		833.12.003		30	4000	38			5790			
		833.12.005			6000							
		833.12.006			3000							
		833.12.008			4000							
		833.12.010		60	6000	60						
		833.12.007			3000							
		833.12.009			4000							
		833.12.011			6000							
LED TRACKLIGHT												
	FAINA 12W LED TRACK LIGHT - WHITE BODY	833.14.404		12	3000	24	ø 80X130	NA	3400			
	FAINA 12W LED TRACK LIGHT - BLACK BODY	833.14.405			5700							
	FAINA 18W LED TRACK LIGHT - WHITE BODY	833.14.406			3000							
	FAINA 18W LED TRACK LIGHT - BLACK BODY	833.14.407			5700							
	FAINA 22W LED TRACKLIGHT 60D- WHITE BODY	833.14.400		18	3000				60	4800		
	FAINA 22W LED TRACKLIGHT 60D- BLACK BODY	833.14.401			5700							
		833.14.402			3000							
		833.14.403			5700							
	FAINA 22W LED TRACKLIGHT 60D- WHITE BODY	833.14.340		22	3000				60	4800		
	FAINA 22W LED TRACKLIGHT 60D- BLACK BODY	833.14.341			4000							
		833.14.342			6000							
		833.14.343			3000							
		833.14.344		4000	30	ø 114X142	4700					
		833.14.345		6000								
	30 W LED TRACK LIGHT - CW	833.30.030		30	6000							
	30 W LED TRACK LIGHT -NW	833.30.060			4000							
DECORATIVE WALL LIGHT												
	Decorative LED Wall light - Round	833.01.4033	833.12.528	3	3000	60	ø60x60	ø55	770			
		833.01.4036	833.12.529		6000							
	Decorative LED Wall light - Square	833.02.4033	833.12.530		3000							
		833.02.4036	833.12.531		6000							
LED BATTEN LIGHT												
	LINLUX LED BATTEN LIGHT	826.40.745		20	6000	NA	4ft	NA	500			
		826.40.747		12	6000		2ft		600			
		826.40.757		10	6000		1ft		800			
STRIP LIGHT												
	Article Description	Article No	Rev Article No	Power (W)	CCT (K)	NA	dimension (m)	No. of LEDs /m	MRP (INR)			
	WATERPROOF IP-68 , 5060 SMD LED STRIP	833.52.730		7.2W/m	3000					5	30	11845
	WATERPROOF IP-68 , 3528 SMD LED STRIP	833.52.710			3000							
					10300							
	LED STRIP LIGHT 3528	833.01.0603	833.38.050	4.8W/m	3000					60	2000	
		833.77.030			4000							
		833.01.0606	833.38.051		6000							
		833.52.900		7.2W/m	RED					120	3000	
		833.01.1203	833.38.060		3000							
		833.01.1206	833.38.061		6000							
	Led Strip Light 5060	833.02.1203	833.38.070	9.6W/m	3000					240	4000	
		833.02.1206	833.38.071		6000							
		833.02.2043	833.38.080		12W/m							
		833.02.2046	833.38.081	4.8 W/m	3000					60	4000	
		833.11.0603	833.38.090		6000							
	833.11.0606	833.38.091	6000									
IP65 LED STRIP LIGHT 3528	833.11.1203	833.38.100	7.2 W/m	3000	120	6000						
	833.11.1206	833.38.101		6000								
DIMMABLE DRIVER												
	Constant Voltage Triac Dimmable Driver suitable for LED Strip-7.2W/m	833.12.1012		12W/20W					1500			
		833.12.0036		36W/40W					2400			
		833.12.0096		96W/150W					4300			
	DIMMABLE DRIVER FOR PANEL LIGHTS- 12W	833.80.8021		12W					1140			
	DIMMABLE DRIVER FOR MR16 LIGHTS- 8W ,SECONDARY 21-24V	833.80.802		8W					1050			
LED DRIVER FOR STRIP LIGHTS												
	CONSTANT VOLTAGE LED DRIVER , 12 V DC 36W WATTS	833.02.908		36W					1820			
	CONSTANT VOLTAGE LED DRIVER DC 12 V. 96 WATTS	833.74.90008		96W					2400			
	CONSTANT VOLTAGE LED DRIVER DC 12V 180 WATTS	833.74.90015		180W					4000			